



**ECODESIGN REQUIREMENTS FOR SOLID FUEL LOCAL SPACE HEATERS  
ACCORDING TO COMMISSION REGULATION (EU) 2015/1185 IMPLEMENTING DIRECTIVE  
2009/125/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL**

<b>Model Identifier(s):</b>	<b>67010306_06</b>
<b>Indirect heating functionality:</b>	<b>no</b>
<b>Direct heat output:</b>	<b>6,6</b>
<b>Indirect heat output:</b>	<b>-</b>

Fuel	Preferred fuel (only one):	Other suitable fuel(s):	$\eta_s$ [%]:	Space heating emissions at nominal heat output (*)				Space heating emissions at minimum heat output (*) (**)				
				PM	OGC	CO	NO <sub>x</sub>	PM	OGC	CO	NO <sub>x</sub>	
				mg/Nm <sup>3</sup> (13%O <sub>2</sub> )				mg/Nm <sup>3</sup> (13%O <sub>2</sub> )				
Wood logs with moisture content ≤ 25 %	no	no										
Compressed wood with moisture content < 12 %	yes	no	89	14	4	97	95	10	2	106	88	
Other woody biomass	no	no										
Non-woody biomass	no	no										
Anthracite and dry steam coal	no	no										
Hard coke	no	no										
Low temperature coke	no	no										
Bituminous coal	no	no										
Lignite briquettes	no	no										
Peat briquettes	no	no										
Blended fossil fuel briquettes	no	no										
Other fossil fuel	no	no										
Blended biomass and fossil fuel briquettes	no	no										
Other blend of biomass and solid fuel	no	no										



**Characteristics when operating with the preferred fuel only:**

Item	Symbol	Value	Unit	Item	Symbol	Value	Unit
<b>Heat output</b>				<b>Useful efficiency (NCV as received)</b>			
Nominal heat output	$P_{nom}$	6,6	kW	Useful efficiency at nominal heat output	$\eta_{th,nom}$	92,2	%
Minimum heat output (indicative)	$P_{min}$	3,1	kW	Useful efficiency at minimum heat output (indicative)	$\eta_{th,min}$	94,5	%
<b>Auxiliary electricity consumption</b>				<b>Type of heat output/room temperature control (select one)</b>			
At nominal heat output	$el_{max}$	0,039	kW	single stage heat output, no room temperature control		no	
At minimum heat output	$el_{min}$	0,027	kW	two or more manual stages, no room temperature control		no	
In standby mode	$el_{SB}$	0,001	kW	with mechanic thermostat room temperature control		no	
<b>Permanent pilot flame power requirement</b>				with electronic room temperature control		no	
Pilot flame power requirement (if applicable)	$P_{pilot}$	n.p.	kW	with electronic room temperature control plus day timer		no	
				with electronic room temperature control plus week timer		yes	
				<b>Other control options (multiple selections possible)</b>			
				room temperature control, with presence detector		no	
				room temperature control, with open window detection		no	
				with distance control option		yes	

Contact details	Name and address of the manufacturer or its authorised representative
+39 0376 57001 +39 0376 660556 info@unical-ag.com www.unicalag.it	<b>Unical AG SpA</b>  Via Roma, 123 - 46033 Castel D'Ario (MN) - IT

(\*) PM = particulate matter, OGC = organic gaseous compounds, CO = carbon monoxide, NO<sub>x</sub> = nitrogen oxides

(\*\*) Only required if correction factors F(2) or F(3) are applied


**Note:**

F(2) 7

F(3) 1

Technical report ref. 2011863/01

Approved by  
**Maurizio Lorenzon**  
Industry Division Manager




Come da allegato all'attestato inerente il report tecnico n. 2011863/01 del 16/01/2023

*How from annex to the declaration concerning Technical report n. 2011863/01 of the 16/01/2023*

E in conformità al punto 9.2.1 della norma EN 14785:2006, l'azienda Unical AG SpA dichiara che gli apparecchi:

*And according to sub-clause 9.2.1 of the standard EN 14785:2006, the company Unical AG SpA declare that the appliances:*

Modelli / Models con (ID MODEL)	67010306_06
---------------------------------	-------------

sono rappresentativi della famiglia a cui appartengono i seguenti modelli:

*are representative of the family to which belong the following models:*

Marchio commerciale Trade mark	UNICAL	
Modelli / Models	67010306_06	FATA A 7- 5★
	67010306_06	FATA V 7- 5★
	67010307_06	FATA A 7 E - 5★
	67010307_06	FATA V 7 E - 5★
	67010306_06	NUA 7- 5★

Direttore Divisione Bioenergy

Nicola Micheletti

**Unical** AG S.p.A.  
SEDE: Via Roma 123 - CASTEL D'ARIO (MN)  
C.F./P.IVA 01501350209  
DIVISIONE: Viale Europa, 3/5  
36053 Gambellara (VI)

Gambellara, 18/01/2023



**ECODESIGN REQUIREMENTS FOR SOLID FUEL LOCAL SPACE HEATERS  
ACCORDING TO COMMISSION REGULATION (EU) 2015/1185 IMPLEMENTING DIRECTIVE  
2009/125/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL**

<b>Model Identifier(s):</b>	<b>67010306_08</b>
<b>Indirect heating functionality:</b>	<b>no</b>
<b>Direct heat output:</b>	<b>8,1</b>
<b>Indirect heat output:</b>	<b>-</b>

Fuel	Preferred fuel (only one):	Other suitable fuel(s):	$\eta_s$ [%]:	Space heating emissions at nominal heat output (*)				Space heating emissions at minimum heat output (*) (**)				
				PM	OGC	CO	NO <sub>x</sub>	PM	OGC	CO	NO <sub>x</sub>	
				mg/Nm <sup>3</sup> (13%O <sub>2</sub> )				mg/Nm <sup>3</sup> (13%O <sub>2</sub> )				
Wood logs with moisture content ≤ 25 %	no	no										
Compressed wood with moisture content < 12 %	yes	no	88	14	4	100	97	10	2	106	88	
Other woody biomass	no	no										
Non-woody biomass	no	no										
Anthracite and dry steam coal	no	no										
Hard coke	no	no										
Low temperature coke	no	no										
Bituminous coal	no	no										
Lignite briquettes	no	no										
Peat briquettes	no	no										
Blended fossil fuel briquettes	no	no										
Other fossil fuel	no	no										
Blended biomass and fossil fuel briquettes	no	no										
Other blend of biomass and solid fuel	no	no										



**Characteristics when operating with the preferred fuel only:**

Item	Symbol	Value	Unit	Item	Symbol	Value	Unit
<b>Heat output</b>				<b>Useful efficiency (NCV as received)</b>			
Nominal heat output	$P_{nom}$	8,1	kW	Useful efficiency at nominal heat output	$\eta_{th,nom}$	90,7	%
Minimum heat output (indicative)	$P_{min}$	3,1	kW	Useful efficiency at minimum heat output (indicative)	$\eta_{th,min}$	94,5	%
<b>Auxiliary electricity consumption</b>				<b>Type of heat output/room temperature control (select one)</b>			
At nominal heat output	$el_{max}$	0,040	kW	single stage heat output, no room temperature control		no	
At minimum heat output	$el_{min}$	0,027	kW	two or more manual stages, no room temperature control		no	
In standby mode	$el_{SB}$	0,001	kW	with mechanic thermostat room temperature control		no	
<b>Permanent pilot flame power requirement</b>				with electronic room temperature control		no	
Pilot flame power requirement (if applicable)	$P_{pilot}$	n.p.	kW	with electronic room temperature control plus day timer		no	
				with electronic room temperature control plus week timer		yes	
				<b>Other control options (multiple selections possible)</b>			
				room temperature control, with presence detector		no	
				room temperature control, with open window detection		no	
				with distance control option		yes	

Contact details	Name and address of the manufacturer or its authorised representative
+39 0376 57001 +39 0376 660556 info@unical-ag.com www.unicalag.it	<b>Unical AG SpA</b>  Via Roma, 123 - 46033 Castel D'Ario (MN) - IT


(\*) PM = particulate matter, OGC = organic gaseous compounds, CO = carbon monoxide, NO<sub>x</sub> = nitrogen oxides

(\*\*) Only required if correction factors F(2) or F(3) are applied

Note:

F(2)	7
F(3)	1
Technical report ref.	2011863/01

Approved by  
**Maurizio Lorenzon**  
Industry Division Manager




Come da allegato all'attestato inerente il report tecnico n. 2011863/01 del 16/01/2023

*How from annex to the declaration concerning Technical report n. 2011863/01 of the 16/01/2023*

E in conformità al punto 9.2.1 della norma EN 14785:2006, l'azienda Unical AG SpA dichiara che gli apparecchi:

*And according to sub-clause 9.2.1 of the standard EN 14785:2006, the company Unical AG SpA declare that the appliances:*

Modelli / Models con (ID MODEL)	67010306_08
---------------------------------	-------------

sono rappresentativi della famiglia a cui appartengono i seguenti modelli:

*are representative of the family to which belong the following models:*

Marchio commerciale Trade mark	UNICAL	
Modelli / Models	67010306_08	FATA A 9 - 5★
	67010306_08	FATA V 9 - 5★
	67010307_08	FATA A 9 E - 5★
	67010307_08	FATA V 9 E - 5★
	67010306_08	NUA 9 - 5★

Direttore Divisione Bioenergy

Nicola Micheletti

  
Unical AG S.p.A.  
SEDE: Via Roma, 123 - CASTEL D'ARIO (MN)  
C.F. / P. IVA 01501350209  
DIVISIONE: Viale Europa, 3/5  
36053 Gambellara (VI)

Gambellara, 18/01/2023



**ECODESIGN REQUIREMENTS FOR SOLID FUEL LOCAL SPACE HEATERS  
ACCORDING TO COMMISSION REGULATION (EU) 2015/1185 IMPLEMENTING DIRECTIVE  
2009/125/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL**

<b>Model Identifier(s):</b>	<b>67010306_10</b>
<b>Indirect heating functionality:</b>	<b>no</b>
<b>Direct heat output:</b>	<b>9,9</b>
<b>Indirect heat output:</b>	<b>-</b>

Fuel	Preferred fuel (only one):	Other suitable fuel(s):	$\eta_s$ [%]:	Space heating emissions at nominal heat output (*)				Space heating emissions at minimum heat output (*) (**)				
				PM	OGC	CO	NO <sub>x</sub>	PM	OGC	CO	NO <sub>x</sub>	
				mg/Nm <sup>3</sup> (13%O <sub>2</sub> )				mg/Nm <sup>3</sup> (13%O <sub>2</sub> )				
Wood logs with moisture content ≤ 25 %	no	no										
Compressed wood with moisture content < 12 %	yes	no	86	15	4	104	100	10	2	106	88	
Other woody biomass	no	no										
Non-woody biomass	no	no										
Anthracite and dry steam coal	no	no										
Hard coke	no	no										
Low temperature coke	no	no										
Bituminous coal	no	no										
Lignite briquettes	no	no										
Peat briquettes	no	no										
Blended fossil fuel briquettes	no	no										
Other fossil fuel	no	no										
Blended biomass and fossil fuel briquettes	no	no										
Other blend of biomass and solid fuel	no	no										



**Characteristics when operating with the preferred fuel only:**

Item	Symbol	Value	Unit	Item	Symbol	Value	Unit
<b>Heat output</b>				<b>Useful efficiency (NCV as received)</b>			
Nominal heat output	$P_{nom}$	9,9	kW	Useful efficiency at nominal heat output	$\eta_{th,nom}$	88,9	%
Minimum heat output (indicative)	$P_{min}$	3,1	kW	Useful efficiency at minimum heat output (indicative)	$\eta_{th,min}$	94,5	%
<b>Auxiliary electricity consumption</b>				<b>Type of heat output/room temperature control (select one)</b>			
At nominal heat output	$el_{max}$	0,042	kW	single stage heat output, no room temperature control		no	
At minimum heat output	$el_{min}$	0,027	kW	two or more manual stages, no room temperature control		no	
In standby mode	$el_{SB}$	0,001	kW	with mechanic thermostat room temperature control		no	
<b>Permanent pilot flame power requirement</b>				with electronic room temperature control		no	
Pilot flame power requirement (if applicable)	$P_{pilot}$	n.p.	kW	with electronic room temperature control plus day timer		no	
				with electronic room temperature control plus week timer		yes	
				<b>Other control options (multiple selections possible)</b>			
				room temperature control, with presence detector		no	
				room temperature control, with open window detection		no	
				with distance control option		yes	

Contact details	Name and address of the manufacturer or its authorised representative
+39 0376 57001 +39 0376 660556 info@unical-ag.com www.unicalag.it	<b>Unical AG SpA</b>  Via Roma, 123 - 46033 Castel D'Ario (MN) - IT

(\*) PM = particulate matter, OGC = organic gaseous compounds, CO = carbon monoxide, NO<sub>x</sub> = nitrogen oxides

(\*\*) Only required if correction factors F(2) or F(3) are applied


**Note:**

F(2) 7

F(3) 1

Technical report ref. 2011863/01

Approved by  
**Maurizio Lorenzon**  
Industry Division Manager






Come da allegato all'attestato inerente il report tecnico n. 2011863/01 del 16/01/2023

*How from annex to the declaration concerning Technical report n. 2011863/01 of the 16/01/2023*

E in conformità al punto 9.2.1 della norma EN 14785:2006, l'azienda Unical AG SpA dichiara che gli apparecchi:

*And according to sub-clause 9.2.1 of the standard EN 14785:2006, the company Unical AG SpA declare that the appliances:*

Modelli / Models con (ID MODEL)	67010306_10
---------------------------------	-------------

sono rappresentativi della famiglia a cui appartengono i seguenti modelli:

*are representative of the family to which belong the following models:*

Marchio commerciale Trade mark	UNICAL	
Modelli / Models	67010306_10	FATA A 11 - 5★
	67010306_10	FATA V 11 - 5★
	67010307_10	FATA A 11 E - 5★
	67010307_10	FATA V 11 E - 5★
	67010306_10C	FATA A 11 1C - 5★
	67010306_10C	FATA V 11 1C - 5★
	67010307_10C	FATA A 11 1C E - 5★
	67010307_10C	FATA V 11 1C E - 5★
	67010306_10	NUA 11 - 5★
	67010306_10C	NUA 11 1C - 5★

Direttore Divisione Bioenergy

Nicola Micheletti

  
Unical AG S.p.A.  
SEDE: Via Roma, 123 - CASTEL D'ARIO (MN)  
C.F. / P. IVA 01501350209  
DIVISIONE: Viale Europa, 3/5  
36053 Gambellara (VI)

Gambellara, 18/01/2023